


Novetta awnings

Prima awnings

It can be so beautiful at home



Nova Hüppe GmbH
awnings. nordic. authentic.


nova hüppe




Nova Hüppe GmbH
awnings. nordic. authentic.

////
nova hüppe
////

Fig. Novetta Plus F cassette awning






Prima awnings







Prima T range:
Prima T
Prima TS

Prima cassette awnings:
Prima CC
Prima C1




Novetta awnings

Novetta open awnings:
Novetta Basic
Novetta Plus 1
Novetta XS | XH



Novetta compact awnings:
Novetta Plus H
Novetta CC
Novetta Plus 2

Novetta cassette awnings:
Novetta Plus Q
Novetta Plus F
Novetta Plus R




* Except NpR


**Prima awnings –
The first step into the awning world**

Articulated arm awnings in the Prima series with a particularly attractive price-performance ratio.


Whether the Prima T | TS back bar awning, the exclusive Prima CC compact cassette awning or the fully enclosed Prima C1 cassette awning: With a powder-coated frame, aluminium fixings and arm mounts and robust articulated arms with a twin cable, your enjoyment of the awning will last for many summers.




Proven hook-in technology with extruded aluminium brackets ensures a secure hold



Robust hook-in fixing also for the cassette awnings in the Prima range



Hook-in bracket for variable attachment to the awning box




Bracket for hook-in fixing for exacting fixing requirements, available in different widths



Pitch adjuster made of drop-forged aluminium with an automatically locking windlock mechanism



Arm mounts made of extruded aluminium ensure a firm hold of the articulated arms




Prima C1 cassette awning with a functional die-cast aluminium side cap

**Novetta awnings –
It can be so beautiful at home**

With Nova Hüppe awnings, it is possible to design a new outdoor living space to suit your personal taste.

Safe in terms of technology, versatile in terms of function and individual in terms of equipment and design, Novetta awnings turn sun shading into an element of lifestyle and give every building a touch of luxury.




Novetta Plus 2 double articulated arm awning with an additionally extendible area



LED lighting and radio control of the drop down valance are the hallmarks of the Novetta Plus R



Drop-forged aluminium arm mount with a windlock mechanism and tilt reset



Other benefits: Flexible mounting area and a small number of fixing brackets



Novetta Plus F is also available on request with up to seven dimmable LED spotlights (mounted in the base profile!)



Novetta Plus F: The elegant flat cassette



The Novetta Plus F is a fully enclosed cassette awning that is particularly distinguished by its flat design (overall height of 15 cm).

With its "self-supporting structure", this type of awning offers extremely high stability, so that only two attachment points are required in almost all cases.


Another plus point of this excellent awning: The Novetta Plus F can be manufactured in one piece with three articulated arms up to a width or 800 cm and a projection of 400 cm!

A perfect design and great functionality ultimately make the Novetta Plus F the top model among cassette awnings.






State-of-the-art design perfected with technical enhancements



The dimmable, warm white LED light sets new accents



Inductive charging ensures that the standard, electrically operated drop down valance is kept ready to use



Novetta Plus R: The multifunctional cassette awning

The Novetta Plus R combines modern technology with a puristic design in an innovative cassette awning and represents a continuation of the successful and proven Novetta Plus F: An extremely torsion-resistant cassette – offering perfect protection of the fabric – with a minimal need for fixing points.

The lighting system, housed in a separate aluminium profile, can be easily mounted and removed independently of the cassette awning.


With the electric drop down valance that is also generally included, you can counteract the low sun and operate this additional awning conveniently from your favourite spot by radio control.

Also closed at the side: Novetta retractable side awning


◀ Works like a roller blind – only it is fixed to the wall at the side.

The retractable side awning forms the perfect lateral closure of your awning and your optional additional drop down valance. Trapezoidal shapes can also be adapted to the awning pitch!


This pioneering awning is equipped as standard with high-quality, dimmable LED lighting across the entire width of the awning to ensure a pleasant ambience on your terrace or balcony.



When the awning is closed, all profiles move close to each other. This means that a relatively small installation space is required for this double awning



The additional area offers additional, exclusive shading – the outstanding feature of the Novetta Plus 2



For installation in unprotected places, the attractive cover panel provides good protection of the fabric



Novetta Plus 2: The double awning with additional benefits

The exclusive Novetta Plus 2 opens up new dimensions in awning technology. Its additional extendible area creates more space outdoors and protects against the low sun, prying eyes and provides a feeling of security.

The substantially revised, harmonious design of the Novetta Plus 2 offers a low overall depth even when the awning is retracted.

And with the cover panel to protect against the weather, optimum protection for the awning and fabric is ensured even in unprotected areas of the house wall.







Nova Hüppe GmbH
awnings. nordic. authentic.

////
nova hüppe
////


Fig. Novetta Plus H sleeve awning



A puristic design and optimal functionality: The Novetta Plus Q when it is closed



The end cap of the front profile assimilates the cubic lines of the box



The optionally available rear panel closes off the box for ceiling or rafter mounting




Novetta Plus Q: A cassette awning in a cubic design


With its puristic, cubic design, the Novetta Plus Q cassette awning is very similar to the shading system. Here too, the straight lines and square design of the awning box impress any onlookers.

A modern cassette awning that can be perfectly incorporated and integrated into the current architecture that is oriented toward clear structures, especially in single and semi-detached houses.

The mechanics with drop-forged arm mounts and highly resilient chain-operated articulated arms come from the Novetta modular system that has been tried and tested over many years. The pitch is infinitely adjustable between 5 and 40°.



The flat overall height is only 14 cm and the pitch can be infinitely adjusted up to 45°



The gap between the cassette and the wall is sealed off visually using colour-matched aluminium covers





Prima C1: The sophisticated cassette awning

A compact and sophisticated design and an extremely small cassette height are distinguishing features of the Prima C1. It is also extremely easy to install – This cassette awning can be mounted on the wall, ceiling or rafters depending on your requirements.

Sophisticated technology – The awning fabric and articulated arms are protected – and an attractive design forms an outstanding unit in the Prima C1.





The Prima CC cuts a fine figure especially when it is closed

Side view of the Prima CC with attractive profiles and aluminium side caps



The almost identical Novetta CC is optimally protected from the wind and weather when it is retracted

The tilt reset in the pitch adjuster allows the tilt to be adjusted individually



©Markiseek.sperlen.dk



©Markiseek.sperlen.dk



Prima CC: The alternative compact cassette

- ◀ The Prima CC with its compact cassette ensures optimum protection from the wind and weather. The awning fabric is particularly protected from the effects of the weather, thus ensuring a long service life.


With the high-quality tilt reset, the cassette retains the starting position in its retracted position at every individually selected pitch.




Novetta CC: The perfect compact cassette

The Novetta CC ensures greater creative freedom. The maximum dimensions with a width of 6.5 m and projection of 4 m provide ideal shading for your large terrace. The Novetta CC can also be coupled together to provide even greater width. This can then achieve a maximum shading area of around 45 square metres.

The proven Novetta technology and a modern design perfectly complement the requirement for a unique living solution in the open air.



Novetta Plus H with a fully enclosed sleeve



Novetta XH | XS with greater projection than width



Side view of the Prima TS with an integrated protective hood and tilt joint with a windlock mechanism

Novetta Plus H: The protective sleeve awning



The Novetta Plus H offers well-proven awning technology with optimum safety thanks to highly resilient chain-operated articulated arms.

The protective sleeve provides all-round protection for the awning fabric in all weather conditions. The easily removable valance can be safely and securely concealed in the sleeve during the winter season.

For specific structural situations, the Novetta XS offers the option of choosing an awning projection that is greater than the width. This so-called narrow awning is also available as a Novetta XH articulated arm awning with a protective sleeve for the awning fabric.





Prima TS: The solid standard awning



The Prima TS back bar awning offers solid quality in a robust construction combined with a modern design. It provides pleasant shading on terraces and balconies.

The integrated protective rain hood of the Prima TS offers additional protection against dirt and the effects of the weather. This extends the service life of the awning. The aluminium side cover optimally rounds off the design. With the appropriate brackets, the awning can be easily mounted on the wall, ceiling or rafters.





Prima T with a rigid arm connection and pitch adjustment option



Novetta Basic with a rigid, extruded arm mount and a highly resilient chain-operated articulated arm



Novetta Plus 1 with a drop-forged arm mount and an integrated windlock mechanism and tilt reset



Novetta Basic | Plus 1: The open articulated arm awnings

◀ The Novetta Basic already defines the high demands placed on the Novetta articulated arm awning range. Proven frame technology, solid workmanship and extensive equipment variants provide scope for a variety of designs.

The Novetta Plus 1 has classic awning technology with sophisticated technical details and exclusive equipment. The fixing of the articulated arm directly to the wall, ceiling or rafters with wide brackets gives the awning excellent structural stability and provides safety when gusts of wind occur.



Prima T: The solid standard awning

This back bar awning offers solid quality in a robust construction combined with a modern design at a particularly attractive price.

The Prima T open awning provides pleasant shading on terraces and balconies. With the appropriate brackets, the awning can be easily mounted on the wall, ceiling or rafters.



Fig. Novetta Plus F cassette awning

Awning product overview

Type	Variant			Width			Projection Pitch			Drive			Colours			Mounting			Accessories							
	Open	Hood Sleeve Compact	Cassette	Min.	Max.	Max. when coupled together	Min.	Max.	Max. when coupled together	Pitch	Gear unit incl. winding handle	Motor	Radio motor IO/ RTS	RAL 9016 Traffic white	RAL 9006 White aluminium	RAL 8019 Grey brown	Anthracite texture (colour 61)	Novacolor colours	RAL standard colours	Wall	Ceiling	Rafters	Valance shape 1+2	Drop down valance with a gear unit	Drop down valance with an electric drive	Protective rain hood
Prima T	x			1890	6000	-	1500	3000	-	5°-45°	M	S	A	S	S	A	S	A	A	S	A	A	S	-	-	A
Prima TS		x		1970	6000	-	1500	3000	-	5°-45°	M	S	A	S	S	A	S	A	A	S	A	A	S	-	-	-
Prima C1			x	1724	6000	-	1500	3000	-	5°-45°	M	S	A	S	S	A	S	A	A	S	A	A	-	-	-	-
Prima CC		x		1970	6000	-	1500	3000	-	5°-45°	M	S	A	S	S	A	S	A	A	S	A	A	A	-	-	-
Novetta Basic	x			1750	7000	14000	1500	4000	3500	5°-45°	M	S	A	S	S	S	S	A	A	S	A	A	S	A	-	A
Novetta Plus 1	x			1770	7000	14000	1500	4000	3500	5°-45°	M	S	A	S	S	S	S	A	A	S	A	A	S	A	-	A
Novetta XS	x			1120	4250	-	1500	4000	-	5°-30°	M	S	A	S	S	S	S	A	A	S	A	A	S	A	-	-
Novetta XH		x		1120	4250	-	1500	4000	-	5°-30°	M	S	A	S	S	S	S	A	A	S	A	A	S	A	-	-
Novetta Plus H		x		1830	6000	12000	1500	4000	3500	5°-45°	M	S	A	S	S	S	S	A	A	S	A	A	S	A	-	-
Novetta Plus 2	x			1830	6000	-	1500	3000	-	5°-45°	M	S	A	S	S	A	S	A	A	S	A	A	S	-	-	A
Novetta CC		x		1830	6500	13000	1500	4000	3500	5°-45°	M	S	A	S	S	A	S	A	A	S	A	A	A	A	A ³⁾	-
Novetta Plus Q			x	1840	6500	-	1500	3500	-	5°-40°	M	S	A	S	S	A	S	A	A	S	A	A	-	-	-	-
Novetta Plus F			x	1780	8000	13000	1500	4000	3500	5°-40°	M	S	A	S	S	A	S	A	A	S	A	A ²⁾	-	A	-	-
Novetta Plus R			x	1880	6500	-	1500	3500	-	5°-40°	-	-	S ¹⁾	S	S	A	S	A	A	S	A	A	-	-	S ⁴⁾	-

Please note that not all size combinations are possible.

M = Price reduction | S = Standard | A = For a surcharge | - = Not possible

1) Only available with an RTS radio-controlled motor

2) Not possible for widths greater than 6501 mm

3) Drop down valance with a battery-powered electric motor based on solar power

4) Drop down valance with a battery-powered electric motor and induction charging

Awning frame colours

Anthracite texture (colour 61) White aluminium (RAL 9006) Traffic white (RAL 9016) Novacolor fine texture (MP) All RAL colours (surcharge)



Nova Hüppe GmbH

Sun shading systems


Schmiedeweg 4 + 6
26135 Oldenburg, Germany
Phone +49 441 39036-0
Fax +49 441 39036-36
www.novahueppe.de

 Nova Hüppe on Facebook

 Nova Hüppe on Instagram



Explanation of the pictograms (MP=for a surcharge):



Maximum width
Maximum projection
Max. width of coupled systems
Pitch angle (decentralised)
Drop down valance
Wind force (Beaufort scale)
Maximum load capacity due to drop-forged parts



Twilight recommended – use in a vertical direction:
Summer thermal insulation. Anti-glare protection. View to the outside. Dimensionally stable.



Smart home ready - prepared for the Somfy
Tahoma® Switch smart home system

Colour, material and technology are subject to change without notice.